



A Better Class of Oil

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

Penrite Limslip 90

Revision 0

Revision date 2013-07-12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Penrite Limslip 90
Product code	LIM90

1.3. Details of the supplier of the safety data sheet

Company	Penrite Oil Company Ltd
Address	Hang Hill Works Bream Lydney Gloucestershire GL15 6HT United Kingdom
Telephone	+44 (0) 1594 562357
Fax	+44 (0) 1594 564234
Email address of the competent person	penrite.uk@penriteoil.com

1.4. Emergency telephone number

Emergency telephone number	+44 (0) 1594 562357 8:00 - 16:30 BST
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	R52/53 Symbols:
Main hazards	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
95 Solvent Brightstock					80 - 90%	
Mineral oil					1 - 10%	
Long-chain alkyl amine					0.5 - 1%	T; R23/24 C; R34 Xn; R22-48/20 Xi; R43 N; R50/53
Alkyl Phosphonate					0 - 0.5%	C; R34 Xi; R37 N; R51/53
Long-chain alkenyl amine					0 - 0.5%	C; R35 Xn; R22 N; R50
Pour Point Depressant					0 - 0.5%	

SECTION 4: First aid measures

Penrite Limslip 90

Revision 0

Revision date 2013-07-12

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area.
--	--

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

95 Solvent Brightstock	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m ³ : 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m ³ : 10
Mineral oil	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m ³ : 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m ³ : 10
Pour Point Depressant	WEL 8-hr limit ppm: No data available	WEL 8-hr limit mg/m ³ : No data available
	WEL 15 min limit ppm: No data available	WEL 15 min limit mg/m ³ : No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	In case of splashing, wear:.. Approved safety goggles.

Penrite Limslip 90

Revision 0

Revision date 2013-07-12

8.2. Exposure controls

Skin protection - Handprotection	Chemical resistant gloves (PVC).
----------------------------------	----------------------------------

SECTION 9: Physical and chemical properties

9.2. Other information

Specific gravity	0.911 g/cm ³
------------------	-------------------------

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

SECTION 11: Toxicological information

11.1.4. Toxicological Information

95 Solvent Brightstock	Oral Rat LD50: > 2 g/kg	
Alkyl Phosphonate	Oral Rat LD50: 3200 mg/kg	Dermal Rabbit LD50: 1990 mg/kg
Long-chain alkyl amine	Oral Rat LD50: >500 mg/kg	Dermal Rabbit LD50: 1000 mg/kg
Mineral oil	Inhalation Rat LC50/4 h: >2.18 mg/l Dermal Rabbit LD50: >5000 mg/kg	Oral Rat LD50: >5000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

	No data available
--	-------------------

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

SECTION 14: Transport information

ADR/RID

	The product is not classified as dangerous for carriage.
--	--

IMDG

	The product is not classified as dangerous for carriage.
--	--

IATA

	The product is not classified as dangerous for carriage.
--	--

Further information

	The product is not classified as dangerous for carriage.
--	--

SECTION 15: Regulatory information

Labelling

Risk phrases	R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
--------------	--

SECTION 16: Other information

Other information

Text of risk phrases in Section 3	R22 - Harmful if swallowed. R23/24 - Toxic by inhalation and in contact with skin. R34 - Causes burns. R35 - Causes severe burns. R37 - Irritating to respiratory system. R43 - May cause sensitisation by skin contact. R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.
-----------------------------------	---

Penrite Limslip 90

Revision 0

Revision date 2013-07-12

Other information

	R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50 - Very toxic to aquatic organisms. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
--	---

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--