

Material Safety Data Sheet

CS: 1.4.18

Page: 1 of 4

Infosafe No™ LPW02	Issue Date :March 2008	ISSUED by PENRITEO	CS: 1.4.18
--------------------	------------------------	--------------------	------------

Product Name : **ROCKSLIDE 68, ROCKSLIDE 100**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	ROCKSLIDE 68, ROCKSLIDE 100
Product Code	RS68, RS100
Company Name	PENRITE OIL COMPANY P/L (ABN 25005 001 525)
Address	88 Lewis Road Wantirna South Victoria 3152 Australia
Emergency Tel.	03 9801 0877 B.H
Telephone/Fax Number	Tel: 03 9801 0877
Recommended Use	Rock drill and slideway oil.

2. HAZARDS IDENTIFICATION

Hazard Classification	NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. Hazard classification according to the criteria of NOHSC. Dangerous goods classification according to the Australia Dangerous Goods Code.
-----------------------	--

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Ingredients determined not to be hazardous.		60-100 %
	Long chain alkyl amine		0-2 %

4. FIRST AID MEASURES

Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. If symptoms develop seek medical attention.
Ingestion	Do NOT induce vomiting. Wash out mouth with water. If symptoms develop seek medical attention.
Skin	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. If symptoms develop seek medical attention.
Eye	If contact with the eye(s) occurs, wash with copious amounts of water holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. If symptoms persist seek medical attention.
First Aid Facilities	Eye wash and normal washroom facilities.
Advice to Doctor	Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Use carbon dioxide, foam or water spray.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes.
Specific Methods	Prevent extinguishing water from entering waterways.
Specific Hazards	Heat from a fire could possibly result in drums bursting.
Precautions in connection with Fire Unsuitable Extinguishing Media	Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode. Direct water jet.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Wear appropriate personal protective equipment and clothing to minimise exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. If possible contain the spill. Place inert non
----------------------	---

Material Safety Data Sheet

CS: 1.4.18

Page: 2 of 4

Infosafe No™ LPW02	Issue Date :March 2008	ISSUED by PENRITEO	CS: 1.4.18
--------------------	------------------------	--------------------	------------

Product Name : **ROCKSLIDE 68, ROCKSLIDE 100**

combustible absorbent material onto spillage. Use clean non-sparking tools to collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to federal, Environmental Protection Authority and state regulations. If the spillage enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

7. HANDLING AND STORAGE

Precautions for Safe Handling	Use in a well ventilated area. DO NOT store or use in confined spaces. Build up of mists or vapours in the atmosphere must be prevented. Avoid breathing in mists or vapours. Do not use near welding or other ignition sources and avoid sparks. Do not smoke. Wear appropriate protection. It is essential that all who come into contact with this material maintain high standards of personal hygiene ie. washing hands prior to eating, drinking, smoking or using toilet facilities.
Conditions for Safe Storage	Store in a cool, dry well-ventilated area away from heat, sources of ignition, oxidising agents, foodstuffs, and clothing and out of direct sunlight. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Do NOT pressurise, cut, heat or weld containers as they may contain hazardous residues. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all State and Federal regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards	No exposure standards have been established for this material, however, the TWA National Occupational Health And Safety Commission (NOHSC) exposure standards for oil mist is 5 mg/m ³ . As with all chemicals, exposure should be kept to the lowest possible levels. As published by the National Occupational Health and Safety Commission (NOHSC): TWA - the Time-Weighted Average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life. STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday. According to current knowledge these concentrations should neither impair the health of, nor cause undue discomfort to, nearly all workers.
Biological Limit Values	No biological limit allocated.
Engineering Controls	Provide sufficient ventilation to keep airborne levels below the exposure limit. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependant upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices.
Eye Protection	Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Material Safety Data Sheet

CS: 1.4.18

Page: 3 of 4

Infosafe No™ LPW02	Issue Date :March 2008	ISSUED by PENRITEO	CS: 1.4.18
--------------------	------------------------	--------------------	------------

Product Name : **ROCKSLIDE 68, ROCKSLIDE 100**

Body Protection	Wear appropriate clothing including chemical resistant apron where clothing is likely to be contaminated. It is advisable that a local supplier of personal protective clothing is consulted regarding the choice of material.
------------------------	--

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Oily liquid
Odour	Oil odour.
Melting Point	Not available.
Boiling Point	Not available
Solubility in Water	Insoluble
Specific Gravity	0.865 @ 15°C
pH Value	Neutral.
Vapour Pressure	0.1 kPa @ 15°C
Vapour Density (Air=1)	Not available.
Viscosity	10.1 cSt @ 100°C 64 cSt @ 40°C
Flash Point	192 - 250°C
Flammability	Combustible liquid
Auto-Ignition Temperature	Not available.
Flammable Limits - Lower	Not available.
Flammable Limits - Upper	Not available.

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions.
Conditions to Avoid	Heat, direct sunlight, open flames or other sources of ignition.
Incompatible Materials	Not available.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes including oxides of carbon, nitrogen and sulphur.
Hazardous Polymerization	Hazardous polymerisation will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information	Acute toxicity: LD50 (rat): > 5 g/kg
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Skin	May cause redness, itching and irritation.
Eye	May cause eye irritation, tearing, stinging, blurred vision, and redness.
Chronic Effects	Not available.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not available.
Persistence / Degradability	Inherently but not readily biodegradable.
Mobility	Product does not evaporate from soil or water. Some components may penetrate

Material Safety Data Sheet

CS: 1.4.18

Page: 4 of 4

Infosafe No™ LPW02	Issue Date :March 2008	ISSUED by PENRITEO	CS: 1.4.18
--------------------	------------------------	--------------------	------------

Product Name : **ROCKSLIDE 68, ROCKSLIDE 100**

Bioaccumulative Potential	the soil causing ground water contamination. No evidence to suggest bioaccumulation may occur.
Information on Ecological Effects	Spills on water will form a film, which may cause damage to organisms.
Environ. Protection	Avoid contaminating waterways.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations	Dispose of waste according to federal, EPA and state regulations.
--------------------------------	---

14. TRANSPORT INFORMATION

Transport Information	Not classified as a Dangerous Good, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
------------------------------	---

15. REGULATORY INFORMATION

Poisons Schedule	S5
-------------------------	----

16. OTHER INFORMATION

Date of preparation or last revision of MSDS	MSDS Reviewed: March 2008 MSDS Created: August 2007
Contact Person/Point	TITLE: Technical and Marketing Director TELEPHONE NUMBER: 03 9801 0877 B.H ...End Of MSDS...

© Copyright ACOHS Pty Ltd
Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.
Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed on this site is the intellectual property of Acohs Pty Ltd.
Copying of any MSDS displayed on this site is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed on this site cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.